

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Page County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8B: Judson-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
9B: Marshall-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
9B2: Marshall-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
9C: Marshall-----	95	Not limited		Not limited		Very limited Slope	1.00
9C2: Marshall-----	95	Not limited		Not limited		Very limited Slope	1.00
11B: Colo-----	65	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.50
Judson-----	35	Not limited		Not limited		Somewhat limited Slope	0.50
24D: Shelby-----	90	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
24D2: Shelby-----	100	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
24E: Shelby-----	95	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Page County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
24E2: Shelby-----	100	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
24F2: Shelby-----	100	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
41D: Sparta-----	90	Somewhat limited Too sandy Slope	0.95 0.16	Somewhat limited Too sandy Slope	0.95 0.16	Very limited Slope Too sandy	1.00 0.95
43: Bremer-----	85	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
54: Zook-----	90	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.94 0.60
54+: Zook-----	100	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.94 0.60
76B: Ladoga-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Page County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Restricted permeability	0.15
76C: Ladoga-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
76C2: Ladoga-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
76D: Ladoga-----	90	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
76D2: Ladoga-----	90	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
88: Nevin-----	95	Not limited		Not limited		Not limited	
93D: Shelby-----	50	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
Adair-----	40	Somewhat limited Restricted permeability Slope  Depth to saturated zone	0.94  0.63  0.39	Somewhat limited Restricted permeability Slope  Depth to saturated zone	0.94  0.63  0.19	Very limited Slope  Restricted permeability Depth to saturated zone Gravel content	1.00  0.94  0.39 0.06

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Page County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
93D2: Shelby-----	50	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
Adair-----	40	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.06
93E2: Shelby-----	50	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
Adair-----	40	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.19	Very limited Slope Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.06
99C: Marshall-----	95	Not limited		Not limited		Very limited Slope	1.00
99C2: Marshall-----	95	Not limited		Not limited		Very limited Slope	1.00
99D: Marshall-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
99D2: Marshall-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
133: Colo-----	85	Very limited		Very limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Page County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
133+: Colo-----	85	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00			Flooding	0.60
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00			Flooding	0.60
172: Wabash-----	95	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00	Too clayey	1.00	Too clayey	1.00
		Too clayey	1.00			Flooding	0.60
179D: Gara-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
179D2: Gara-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
179E2: Gara-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
179F2: Gara-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
179G2: Gara-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Page County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds		
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	
192C: Adair-----	90	Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15	
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00	
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Restricted permeability Depth to saturated zone	0.94 0.39	
						Gravel content	0.06	
192C2: Adair-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00	
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Restricted permeability Depth to saturated zone	0.94 0.39	
						Gravel content	0.06	
192D: Adair-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00	
		Slope	0.63	Slope	0.63	Restricted permeability	0.94	
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39	
						Gravel content	0.06	
192D2: Adair-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00	
		Slope	0.63	Slope	0.63	Restricted permeability	0.94	
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39	
						Gravel content	0.06	
212: Kennebec-----	85	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Page County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
220: Nodaway-----	85	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
248: Wabash-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 1.00 0.60
248+: Wabash-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 1.00 1.00
273B: Olmitz-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
273C: Olmitz-----	95	Not limited		Not limited		Very limited Slope	1.00
370: Sharpsburg-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15
370B: Sharpsburg-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope Restricted permeability	0.50 0.15
370B2: Sharpsburg-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Page County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Restricted permeability	0.15
370C: Sharpsburg-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
370C2: Sharpsburg-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
370D: Sharpsburg-----	100	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
370D2: Sharpsburg-----	100	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
692C2: Mayberry-----	90	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.39	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
692D: Mayberry-----	90	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39



Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Page County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
692D2: Mayberry-----	90	Somewhat limited Restricted permeability Slope	0.94  0.63	Somewhat limited Restricted permeability Slope	0.94  0.63	Very limited Slope  Restricted permeability Depth to saturated zone	1.00  0.94 0.39
715: Alluvial Land-----	90	Not rated		Not rated		Not rated	
751C: Northboro-----	90	Not limited		Not limited		Very limited Slope	1.00
751C2: Northboro-----	90	Not limited		Not limited		Very limited Slope	1.00
751D: Northboro-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
751D2: Northboro-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
T9: Marshall-----	95	Not limited		Not limited		Not limited	
T9B: Marshall-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
T299: Minden-----	95	Not limited		Not limited		Not limited	
T368: Macksburg-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15
T369: Winterset-----	90	Somewhat limited		Somewhat limited		Somewhat limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Page County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
T370B: Sharpsburg-----	100	Depth to saturated zone	0.98	Depth to saturated zone	0.75	Depth to saturated zone	0.98
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
		Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50
						Restricted permeability	0.15
T370C: Sharpsburg-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15